December 31, 1947

No Change

☐ Declassified Class. Changed to: TS Next Review Date:

Auth.: HR 70-3 Date: 100779

to CAP-5. This action had progressed too

## VIA ATRIALLERI STEET

25X1A9a

25X1A6a



25X1A9a

Dear

25X1A6a

classified

document part of

personnel actions are now in process. الله استثلا and premeticus should become effective within the next one or two pay periods, with the following exceptions, actions have been requested in accordance with the recommendations of your 231819.

far to recall on recalpt of your recommendation.

25X1A9a

25X1A9a

integrated file. NAME CHECK required prior to individual classification ac

25X1A9a

25X1A9a

to CAF-4. The establishment of an additional CAF-4 Teletypist position to replace that at CAF-3 has now been approved. Please submit a formal request for promotion with justifying data, including actual duties performed, length

of acting service in proposed position, length of nervice in provious grade, efficiency, etc., for both and new actions will be requested. This memorandum of justification will in the future be standard procedure for all proposed promotions in the field.

to SP-8 at \$3773.40. Please submit a memorandum on this case also, explaining his reassignment to technician daties and stating his villiagness to accept the change of grade.

Our request for increasing the T/O by one P-3 Engineer and two CAY-9 Miters has not yet been acted upon, but I have no reason to suspect that it will not receive approval.

25X1A6a

In order to provide a driver for staff transportation at well as additional custodial and maintenance help, I suggest you submit to this office a request for increasing the T/O by a second CPC-4 custodian or other position of appropriate grade and title, together with a description of the proposed duties, as distinguished from or supplementing the duties of is the man to fill this position, the resent custodian. If you may include a request for his regular excepted appointment to it.

25X1A9a

25X1A9a

PLE: bhr ees Admin. Office